U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

	caa the motifications t	in pages . c.			
SEC	TION A - PROPERTY INI	FORMATION	FOR INSURANCE COMPANY USE		
A1 Building Owner's Name W L MOORE CONSTRUCTION,	Policy Number:				
A2, Building Street Address (including Apt., Unit, Suite, and/or 1141 Boulder Ridge Street	Company NAIC Number:				
City Central Point	State OR ZIP (Code 97502			
A3. Property Description (Lot and Block Numbers, Tax Parcel I 372W03BD 3200; Lot 145, Twin Creeks Crossing, Phase III	Number, Legal Description, e	tc.)			
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential A5. Latitude/Longitude: Lat. 42.38245N Long. 122.92871W Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 9 A8. For a building with a crawispace or enclosure(s):					
SECTION B - FLOOD	INSURANCE RATE MAF	(FIRM) INFORMATIO	<u>N</u>		
B1, NFIP Community Name & Community Number City of Central Point 410092	B2. County Name Jackson		B3. State OR		
B4. Map/Panel Number	B7, FIRM Panel Effective/Revised D 05-03-11		B9 Base Flood Elevation(s) (Zone AO, use base flood depth) 1248.2		
SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) Other/Source: Other/Source: NAVD 1988 ☐ Other/Source: NAVD 1988 ☐ Other/Source: NAVD 1988 ☐ Other/Source: OPA SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)					
	ELEVATION INFORMATI	ION (SURVET REQUIR	(ED)		
C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction 'A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: RM1 Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: ☐ Datum used for building elevations must be the same as that used for the BFE. Check the measurement used.					
a) Top of bottom floor (including basement, crawlspace, or er	nclosure floor)		☑ feet ☐ meters		
b) Top of the next higher floor	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		☑ feet ☐ meters		
c) Bottom of the lowest horizontal structural member (V Zone	s only)		☐ feet ☐ meters		
d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the	building		☑ feet ☐ meters ☑ feet ☐ meters		
(Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)		1248.8	☑ feet ☐ meters		
g) Highest adjacent (finished) grade next to building (EAG)			☑ feet ☐ meters		
h) Lowest adjacent grade at lowest elevation of deck or stairs	, including structural support	<u>n/a</u>	feet meters		
SECTION D - SURVEYO	R, ENGINEER, OR ARCH	IITECT CERTIFICATIO	N		
This certification is to be signed and sealed by a land surveyor, einformation. I certify that the information on this Certificate repress I understand that any false statement may be punishable by fine Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Herbert A Farber	ents my best efforts to interp	ret the data available. S. Code, Section 1001. in Section A provided by a ☑ Yes ☐ No	REGISTERED PROFESSIONAL LAND SURVEYOR		
Title President Company Name F					
Address 431 Oak City Central Point	State Or	ZIP Code 97502	OREGON JULY 26, 1985		
Signature Date 10-23-2015	Telephone	541-664-5599	HERBERT A. FARBER		
			RENEWS DEC. 31 2015		

	ponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/ 1141 Boulder Ridge Street	or Bldg. No.) or P.O. Route and Box No.	Policy Number:
City Central Point	State OR ZIP Code 9750	2 Company NAIC Number:
SECTION D – SURVEYO	R, ENGINEER, OR ARCHITECT CERTIF	ICATION (CONTINUED)
Copy both sides of this Elevation Certificate for (1) comm	munity official, (2) insurance agent/company, an	d (3) building owner.
Comments The benchmark is also NGS mark P 549. S	ection C2(e): the lowest machinery servicing th	e property is the heat pump.
Signature Junta Z	Date 10-23-2015	- W
SECTION E - BUILDING ELEVATION INFOR	MATION (SURVEY NOT REQUIRED) FO	R ZONE AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), complete Items E1- and C. For Items E1-E4, use natural grade, if available. E1. Provide elevation information for the following and grade (HAG) and the lowest adjacent grade (LAG) a) Top of bottom floor (including basement, crawls b) Top of bottom floor (including basement, crawls b) Top of bottom floor (including basement, crawls E2. For Building Diagrams 6–9 with permanent flood o (elevation C2.b in the diagrams) of the building is E3. Attached garage (top of slab) is Top of platform of machinery and/or equipment ser E5. Zone AO only: If no flood depth number is available ordinance? Yes No Unknown. The I	Check the measurement used. In Puerto Rico check the appropriate boxes to show whether the pace, or enclosure) is fee pace, or enclosure) is fee penings provided in Section A Items 8 and/or 9 feet meters above or below the pening the building is feet le, is the top of the bottom floor elevated in accordance.	only, enter meters he elevation is above or below the highest adjacent meters above or below the HAG. meters below the LAG. (see pages 8–9 of Instructions), the next higher floor or below the HAG. he HAG. meters above or below the HAG. ordance with the community's floodplain management
SECTION F PROPERTY	Y OWNER (OR OWNER'S REPRESENTA	TIVE) CERTIFICATION
The property owner or owner's authorized representative or Zone AO must sign here. The statements in Sections	who completes Sections A, B, and E for Zone	A (without a FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorized Representative'		
Address	City	State ZIP Code
Signature	Date	Telephone
Comments		
		Check here if attachmen
	G - COMMUNITY INFORMATION (OPT	
is authorized by law to certify elevation information A community official completed Section E for a book the following information (Items G4–G10) is provided by the following information (Items G4	and sign below. Check the measurement used in er documentation that has been signed and sea on. (Indicate the source and date of the elevation wilding located in Zone A (without a FEMA-issurvided for community floodplain management pu	n Items G8–G10. In Puerto Rico only, enter meters. aled by a licensed surveyor, engineer, or architect who on data in the Comments area below.) ed or community-issued BFE) or Zone AO, rposes.
G5. Date Permit 75-15-000 209-DWL G5. Date Permit 75-15-000 209-DWL		tificate Of Compliance/Occupancy Issued)
7. This permit has been issued for: New Construction. 8. Elevation of as-built lowest floor (including basement). 9. BFE or (in Zone AO) depth of flooding at the building. 10. Community's design flood elevation:	uction Substantial Improvement) of the building: 1250.5 Sifeet Site: 1248.2 Sifeet Site: Site: Substantial Improvement	meters
ocal Official's Name Stephanie Holt	eu. CEM Title Com	munity Planner II
Sammunitu Na== (11 C O	Rint Telephone 541	. 664.3321, Ext. 244
signature Stidrane Hotel	Date 19/29	15
Complied with CPM	hc 8.24, Flood Dama	ge Prevention & the Acheck here if attachment
		2 IN CHECK HERE II SHACHINGHI
O-Rise opproval (FP-	15001) per Enginee	

ELEVATION CERTIFICATE, page 3

Building Photographs See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1141 Boulder Ridge Street

Policy Number:


City Central Point

State OR

ZIP Code 97502

Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.







October 27, 2015

City of Central Point Planning Department Attn: Stephanie Holtey 140 South Third Street Central Point, OR 97502

Subject:

Soil Fill & Removal Certification for New Residence Construction

Twin Creeks Crossing, Phases 1, 2 & 3 – Remaining Lots Master Grading Plan

1141 Boulder Ridge Street (Phase 3, Lot 145)

T.37S. R.2W. S.03BD T.L.3200

Dear Stephanie:

Based on calculations performed by Whetstone Engineering for the subject parcel (see attached drawing), and the Final Elevation Certificate provided by Farber & Sons, Inc. (see attached), the new residence at 1141 Boulder Ridge Street was constructed as follows:

Finish Floor Elevation	= 1250.5-ft, NAVD
Base Flood Elevation	= 1248.2-ft, NAVD
Finish Grade Elevation	= 1249.6-ft, NAVD
Foundation Excavation Quantity	= 140 cubic yards
Foundation Backfill Quantity	= 46 cubic yards
Exported Fill Quantity	= 94 cubic yards
Imported Topsoil Quantity	= 60 cubic yards
Net Exported Soil from Lot	= 34 cubic yards

It is the opinion of this engineer that the constructed residence finish floor and finish grade elevations for this lot are in compliance with the remaining lots master grading plan dated 4/30/15 for phases 1, 2 and 3 of the Twin Creeks Crossing Subdivision in Central Point.

If you have any questions, or are in need of further information, please call.

Sincerely,

WHETSTONE ENGINEERING, INC.


By: Matthew C Quambury

President

RENEWAL DATE: 12/31//5

E-MAIL: whetstoneengineering@q.com

TWIN CREEKS CROSSING PHASE 3 - LOT 145 SOIL REMOVAL & FILL CALCULATIONS FOR RESIDENCE CONSTRUCTION 1141 BOULDER RIDGE STREET, CENTRAL POINT, OR



Stephanie Holtey

From:

Peter Brooks < PBrooks@nhcweb.com>

Sent:

Wednesday, October 28, 2015 4:46 PM

To:

Stephanie Holtey

Cc:

Don Burt; Matt Samitore

Subject:

RE: Twin Creeks No Rise: Master Grading Plan

Stephanie,

I reviewed modeling and mapping from our recent no-rise analysis for the Twin Creeks Development, dated March 25, 2015. Based on this analysis, the two lots listed below are outside of the proposed 100-year floodplain and floodway, primarily due to the recent construction of the nearby flood swale. As such, the deviation between the finished grade elevations reported in the Master Plan and those on the Certificates of Elevation, at the lots in question, will not adversely affect flood levels and will maintain compliance with no-rise standards in an effective FEMA floodplain. Please feel free to contact me if you have any questions or concerns.

Regards, Peter

Peter C. Brooks, P.E. | Sr. Engineer

pbrooks@nhcweb.com | Tel: (206) 241-6000

From: Stephanie Holtey [mailto:Stephanie.Holtey@centralpointoregon.gov]

Sent: Wednesday, October 28, 2015 11:02 AM

To: Peter Brooks

Cc: Don Burt; Matt Samitore

Subject: Twin Creeks No Rise: Master Grading Plan

Hi Peter,

Per our conversation this morning, the City has received certificates of elevation for two properties that exceed the finished grade elevations provided on the Master Grading Plan as set forth below:

Site Address	Twin Creeks Crossing	Maximum Finished Grade	Actual Finished Grade
	Phase III Lot No.		
1133 Boulder Ridge Street	Lot 144	1,249.4-ft	1,249.8-ft
1141 Boulder Ridge Street	Lot 145	1,249.2-ft	1,249.6-ft

The Master Grading Plan includes a statement that, "The highest finished grade elevation (EST FG) is calculated to be 0.5-ft below the estimated finish floor elevation (1.5-ft above the BFE). If the actual finish floor elevation is constructed higher or lower, the estimated highest finish grade elevation will adjust accordingly (0.5-ft below FF)." However to assure compliance with the no-rise floodplain approval, we have applied the estimated finished grade elevation as a maximum elevation for construction purposes. To resolve this conflict and assure compliance with the no-rise approval, we need verification that the actual finished grade elevations for these two properties are do not aggravate flood elevations within the floodway.

Thank you for your assistance with this matter.

Best Regards,